

TEC-GUARD

CHEMICAL

BLUE DYE

Color Intensity Graph
(Approximate color for applications in clear solutions*)



Applications

- Lubricating Oils
- Transmission and Break Fluid
- Inks and markers
- Hydraulic oils and greases
- Waxes and candles

Typical Use Rates

- Dye can be added at varying concentrations to produce shades ranging from light to dark. Dye concentration is usually stated as a percentage based on the weight of the product. The following use rates represent typical industrial applications.
- Fuels: 5-20mg/l
- Lubricants: 50 - 200 mg/l
- Greases: 500 - 2000 mg/l
- Inks: 5 - 15% w/w

Physical Properties

- Chemical nature: solvent soluble anthraquinone dye ionic nature: non-ionic
- Form: Liquid
- Specific gravity: 0.95 - 0.99
- Bulk density: approx 8-lbs per gallon
- Solubility: insoluble in water, low solubility in polar solvents, high solubility in hydrocarbons and petroleum fuels
- Shade: Bright blue
- Light fastness: moderate
- Flash Point: >94°C (201°F)

Storage

Store between 10 and 30°C (50 - 86°F). Keep container closed when not in use. Do not store or use near excessive heat sources, sparks or flame.

* Disclaimer: For use in dyeing industrial products. The stability of this dye cannot be guaranteed in all products. Color shown is a CMYK approximation only. Actual color may vary depending upon concentration and the nature of the product to which this dye is applied. It is essential that thorough testing be completed on an experimental basis before proceeding to use this dye on a production level. To our best knowledge, the information and recommendations contained herein are accurate and reliable. However, this information and our recommendations are furnished without warranty, representation, inducement, or license of any kind, including, but not limited to, the implied warranties of merchantability and fitness for a particular use or purpose. Customers are encouraged to conduct their own tests and to read the available product literature carefully before using this product.

Note: Tec-Guard makes no warranty or representation either expressed or implied, including warranty of merchantability or fitness concerning this product except that it conforms to the chemical description on the label. All risks resulting from the use of this product are to be borne by the buyer at its sole expense. Neither Tec-Guard nor the seller shall be responsible in any manner for any personal injury or property damage, or other type of loss resulting from the handling, storage, or use of this product

TEC-GUARD

2929 5th Avenue • Rock Island, IL 61201 • 309-788-5631 • www.tec-guard.com